



Ambrosia

Ciszak Dalmas

marset

Aluminium structure. Methacrylate light tube.

- Black
- Matt gold

Ambrosia V 130 Plug-In

Light source Ambrosia 22K:
 LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K:
 100 - 240 VAC 33,8W 3009lm

Light source Ambrosia 27K:
 LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K:
 100 - 240 VAC 33,8W 3021lm

Light source Ambrosia 30K:
 LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K:
 100 - 240 VAC 33,8W 3078lm

Ambrosia V 175 Plug-In


Light source Ambrosia 22K:
 LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K:
 100 - 240 50,5W VAC 4476lm

Light source Ambrosia 27K:
 LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
 Luminaire Ambrosia 27K:
 100 - 240 50,5W VAC 4491lm


Light source Ambrosia 30K:
 LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
 Luminaire Ambrosia 30K:
 100 - 240 50,5W VAC 4575lm

LED included
 Cable length: 2m
 Black electric cord

Ambrosia V 130 Plug-in



Ambrosia V 175 Plug-in



dimmable*



- [Download](#) Assembly Instructions
- [Download](#) Photometric data
- [Download](#) 2D
- [Download](#) 3D

*Ambrosia V 130 Plug-in and V 175 Plug-in dimmable via foot dimmer with progressive on/off switch.

info@marset.com
 www.marset.com

A design that recovers and revisits the tube light, timeless, and updates it so that its simple structure and diffuse lighting add beauty to any space.

Aluminium structure. Methacrylate light tube.

- Black
- Matt gold

Ambrosia V 130

Light source Ambrosia 22K:
LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K:
(Power supply not included) 3009lm

Light source Ambrosia 27K:
LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K:
(Power supply not included) 3021lm

Light source Ambrosia 30K:
LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K:
(Power supply not included) 3078lm

Ambrosia V 175

Light source Ambrosia 22K:
LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K:
(Power supply not included) 4476lm


Light source Ambrosia 27K:
LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K:
(Power supply not included) 4491lm

Light source Ambrosia 30K:
LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: (
Power supply not included) 4575lm


LED included
Cable lenght: 2m
Black electric cord

Canopy Ambrosia V 50W


Luminaire: 220-240 VAC TRIAC 50W (max.)
220-240 VAC DALI / Casambi 60W (max.)
Class I




Ambrosia V 130




Ambrosia V 175




Canopy Ambrosia V 50W



Disk Accessory



*Ambrosia V 130 and V 175 dimmable depending on the power supply purchased. Remote 24V power supply to be ordered separately.




- [Download](#) Assembly Instructions
- [Download](#) Photometric data
- [Download](#) 2D
- [Download](#) 3D


A design that recovers and revisits the tube light, timeless, and updates it so that its simple structure and diffuse lighting add beauty to any space.



Cluster Ambrosia V - 9 Outputs



Cluster Ambrosia V - 5 Outputs



● Black

Cluster Ambrosia V - 3 Outputs

Luminaire: 220-240 VAC DALI 300W (max.)
Class II


Cluster Ambrosia - 5 Outputs

Luminaire: 220 - 240 VAC DALI / Casambi 150W (max.)
Class I
Luminaire: 220 - 240 VAC TRIAC 200W (max.)
Class II


Cluster Ambrosia V - 3 Outputs

Luminaire: 220-240 VAC TRIAC 100W (max.)
Class II

Cluster Ambrosia V - 3 Outputs



Accesorio gancho



dimmable

